

Mostly about wattles: the publications of Les Pedley

Paul I. Forster

Queensland Herbarium, Department of Environment and Science, Brisbane Botanic Gardens, Mt Coot-tha Road, Toowong, Queensland 4066, Australia. Email: paul.forster@des.qld.gov.au

Les Pedley published approximately 90 scientific papers, flora accounts and extension articles over a 57 year period (1962–2019), with about half published after he retired from paid work at the Queensland Herbarium in 1988. Over half (48 publications) are about various aspects of wattles (*Acacia* Mill. *s.l.*: variously as *Acacia*, *Racosperma* C.Mart., *Senegalia* Raf. or *Vachellia* Wight & Arn.), the remainder being on diverse legume groups (25 publications) or other plant families such as Agavaceae, Asteraceae, Caryophyllaceae, Combretaceae, Ericaceae, Myrtaceae, Pandanaceae, Polygalaceae and Rutaceae. Whilst the majority pertain to Australian groups and species, there are publications that have impacted outside of Australia such as the paper on the recognition of *Racosperma* (Pedley 1986) and accounts of diverse legume genera in *A Revised Handbook to the Flora of Ceylon* and *Flora of China*.

Early in his career at the Queensland Herbarium Les was seconded to the CSIRO on their land survey program and three critical publications on vegetation resulted from this that have remained pertinent for decades afterwards (Gunn *et al.* 1967; Pedley & Isbell 1971; Galloway *et al.* 1974). Otherwise his publications are largely taxonomic accounts of families, genera and species. There is a large number (*c.* 160) of new taxa (mainly as species, but with also subgenera, series, subspecies and varieties) described, starting in 1964 and continuing to 2019. These were mainly in *Acacia* (or as *Racosperma*), but also in a diverse assemblage of genera from multiple families (*Aphyllodium* (DC.) Gagnep., *Atylosia* Wight & Arn., *Caesalpinia*

L., *Comesperma* Labill., *Dendrolobium* (Wight & Arn.) Benth., *Desmodium* Desv., *Leucopogon* R.Br., *Polycarpaea* Lam., *Sigesbeckia* L., *Terminalia* L. and *Tetramolopium* Nees). A large number of new combinations were also made, mainly pertaining to *Acacia* or *Racosperma*, but also in genera such as *Paraderris* (Miq.) R.Geesink.

Les contributed to a number of flora series, including *Flora of Australia*, *Flora of South-eastern Queensland*, *A Revised Handbook to the Flora of Ceylon* and *The Flora of China*; however, did not contribute introductory text to the large multivolume *Flora of Australia* volumes on *Acacia s.l.* that were published in 2001 during the extended debate on *Acacia* and *Racosperma*. Nevertheless, it is fair to say that a considerable portion of the overall framework for groups in those two volumes owed much to the synthesis on *Acacia* that appeared in the 1986 paper, as well as the landmark account of Queensland Acacias in 1978 and 1979. Despite this, he did contribute a large number of individual species accounts to the two volumes on *Acacia*.

Apart from the formal scientific work published in journals and book series, Les also published a small number of articles that can be categorised as extension (on name usage, brigalow control, or native plant cultivation) and others that were more as commentary on the general debate concerning *Acacia* and *Racosperma*. More whimsical pieces appeared on what camels eat, and on abominable epithets coined by some authors for Queensland species.

Les mainly published as a sole author; although he did co-publish with other colleagues at the Queensland Herbarium (Forster, Reynolds), other co-workers on

Acacia s.l. (Maslin) and diverse legumes from China (Chen, Zhang & Wei), as well as his land system or agricultural research colleagues from the then Queensland Department of Primary Industries and the CSIRO.

With biological taxonomists, the best appraisal of their work is whether the classifications and taxa they propose continue to be recognised into the future. The overwhelming majority of the taxa proposed by Les are still currently recognised; in some cases where they have been reduced to synonymy this was done by himself. Even though the proposal to recognise *Racosperma*, for mainly the species of wattle that occur in Australia, ended up being averted via a highly disputed process (Smith *et al.* 2006), the major groupings of wattles as defined by him are largely supported by more recent studies based on molecular data and analyses (Murphy 2008).

The legumes in particular are an important group of plants in terms of their ecological abundance, often with particular species defining the vegetation communities that they occur in. In this respect, Les was pivotal in coming to terms with the diversity of wattles in a large part of Australia and elsewhere. Species from the mulga complex are widespread over much of inland arid to semi-arid Australia and were of particular interest. While it is a highly variable species complex he did much to resolve this variation into taxonomic entities, naming some widespread species (e.g. *Acacia tephрина* Pedley) considered to possess considerable potential significance in terms of their timber (Lake 2019).

References

- GALLOWAY, R.W., GUNN, R.H., PEDLEY, L., COCKS, K.D. & KALMA, J.D. (1974). Lands of the Balonne-Maranoa area, Queensland. *Land Research Series*. Report No. 34, pp. 242. CSIRO Australia.
- GUNN, R.H., GALLOWAY, R.W., PEDLEY, L. & FITZPATRICK, E.A. (1967). Lands of the Nogoa-Belyando area, Queensland. *Land Research Series*, Report No. 18, pp. 190. CSIRO Australia.

- LAKE, M. (2019). *Australian Forest Woods*. CSIRO Publishing: Melbourne.
- MURPHY, D.J. (2008). A review of the classification of *Acacia* (Leguminosae, Mimosoideae). *Muelleria* 26: 10–26.
- PEDLEY, L. (1978). A revision of *Acacia* Mill. in Queensland. *Austrobaileya* 1: 75–235.
- PEDLEY, L. (1979). A revision of *Acacia* Mill. in Queensland (concluded). *Austrobaileya* 1: 235–337.
- PEDLEY, L. (1986). Derivation and dispersal of *Acacia* (Leguminosae), with particular reference to Australia, and the recognition of *Senegalia* and *Racosperma*. *Botanical Journal of the Linnean Society* 92: 219–254.
- PEDLEY, L. & ISBELL, R.F. (1971). Plant communities of Cape York Peninsula. *Proceedings of the Royal Society of Queensland* 82: 51–74.
- SMITH G.F., VAN WYK, A.E., LUCKOW, M. & SCHRIRE B. (2006). Conserving *Acacia* Mill. with a conserved type. What happened in Vienna? *Taxon* 55: 223–225.

Chronological list of Les Pedley Publications

- PEDLEY, L. (1962). The cultivation of Queensland species of *Acacia*. *Society for Growing Australian Plants Queensland Newsletter* 1(5): 3–7.
- PEDLEY, L. (1963). Control of brigalow suckers. *Australian Weeds Research Newsletter* No. 4: 17–19.
- PEDLEY, L. (1964). Notes on *Acacia*, chiefly from Queensland, I. *Proceedings of the Royal Society of Queensland* 74: 53–60.
- PEDLEY, L. (1964). Notes on *Acacia*, chiefly from Queensland, II. *Proceedings of the Royal Society of Queensland* 75: 29–35.
- DOWNES, R.W., STAPLES, I.B., COLMAN, P.A. & PEDLEY, L. (1967). The effect of daylength and temperature on the growth and reproduction of six strains of Townsville lucerne (*Stylosanthes humilis*). *Australian Journal of Experimental Agriculture and Animal Husbandry* 7: 351–356.
- GUNN, R.H., GALLOWAY, R.W., PEDLEY, L. & FITZPATRICK, E.A. (1967). Lands of the Nogoa-Belyando area, Queensland. *Land Research Series*, Report No. 18, pp. 190. CSIRO Australia.
- PEDLEY, L. (1969). Notes on *Acacia*, chiefly from Queensland, III. *Contributions from the Queensland Herbarium* No. 4: 1–7.

- PEDLEY, L. (1969). Intermediates between *Eucalyptus populnea* F.Muell. and *E. brownii* Maid. & Cambage. *Contributions from the Queensland Herbarium* No. 5: 1–6.
- PEDLEY, L. & ISBELL, R.F. (1971). Plant communities of Cape York Peninsula. *Proceedings of the Royal Society of Queensland* 82: 51–74.
- PEDLEY, L. (1972). A revision of *Acacia lycopodiifolia* A.Cunn. ex Hook. and its allies. *Contributions from the Queensland Herbarium* No. 11: 1–23.
- PEDLEY, L. (1973). Taxonomy of the *Acacia aneura* complex. *Tropical Grasslands* 7: 3–8.
- PEDLEY, L. (1973). The names of some legumes cultivated in Queensland. *Queensland Journal of Agricultural and Animal Sciences* 30: 195–197.
- PEDLEY, L. (1974). Notes on *Acacia*, chiefly from Queensland, IV. *Contributions from the Queensland Herbarium* No. 15: 1–27.
- GALLOWAY, R.W., GUNN, R.H., PEDLEY, L., COCKS, K.D. & KALMA, J.D. (1974). Lands of the Balonne-Maranoa area, Queensland. *Land Research Series*. Report No. 34, pp. 242. CSIRO Australia.
- PEDLEY, L. (1975). Revision of the extra-Australian species of *Acacia* subg. *Heterophyllum*. *Contributions from the Queensland Herbarium* No. 18: 1–24.
- PEDLEY, L. (1977). Notes on Leguminosae. I. *Austrobaileya* 1: 25–42.
- PEDLEY, L. (1977). *Polycarphaea* (Caryophyllaceae) in Australia. *Austrobaileya* 1: 49–61.
- PEDLEY, L. (1978). C.T.White Memorial Lecture for 1975–1976. A new flora for Queensland. *Queensland Naturalist* 22: 8–12.
- PEDLEY, L. (1978). A revision of *Acacia* Mill. in Queensland. *Austrobaileya* 1: 75–235.
- PEDLEY, L. (1979). A revision of *Acacia* Mill. in Queensland (concluded). *Austrobaileya* 1: 235–337.
- PEDLEY, L. (1981). Classification of acacias. *Bulletin of the International Group for the Study of Mimosoideae* 9: 42–48.
- PEDLEY, L. (1981). Further notes on *Acacia* in Queensland. *Austrobaileya* 1: 339–345.
- PEDLEY, L. (1981). Notes on Leguminosae. II. *Austrobaileya* 1: 376–379.
- REYNOLDS, S.T. & PEDLEY, L. (1981). A revision of *Atylosia* (Leguminosae) in Australia. *Austrobaileya* 1: 420–428.
- PEDLEY, L. (1982). Abominable epithets – coorangooloo, woornoonoran, dubium-traceyi and others of that ilk. *Australian Systematic Botany Society Newsletter* No. 32: 14–15.
- MASLIN B.R. & PEDLEY L. (1982). The distribution of *Acacia* (Leguminosae: Mimosoideae) in Australia, Part 1. Species distribution maps. *Western Australian Herbarium Research Notes* No. 6: 1–128.
- MASLIN B.R. & PEDLEY L. (1982). The distribution of *Acacia* (Leguminosae: Mimosoideae) in Australia. Part 2. Lists of species occurring in 1° × 5° grid cells. *Western Australian Herbarium Research Notes* No. 6: 129–171.
- PEDLEY, L. (1983). Another look at the classification of *Acacia*. *Bulletin of the International Group for the Study of Mimosoideae* 11: 29.
- HNATIUK, R.J., MASLIN, B.R. & PEDLEY, L. (1983). The distribution of *Acacia*. *Bulletin of the International Group for the Study of Mimosoideae* 11: 33–35.
- PEDLEY, L. (1983). Mimosaceae, Caesalpiniaceae, Tropaeolaceae, Polygalaceae. In T.D. Stanley & E.M. Ross (eds.), *Flora of South-eastern Queensland* 1: 336–397, 402, 485–490. Queensland Herbarium, Queensland Department of Primary Industries: Brisbane.
- PEDLEY, L. (1984). A revision of *Comesperma* (Polygalaceae) in Queensland. *Austrobaileya* 2: 7–14.
- PEDLEY, L. (1985). Book Review. *Eucalyptus* 1. New or little known species of the Corymbosae: D.J. Carr & S.G.M. Carr, Phytoglyph Press, Canberra, 1985. 116 pp. *Australian Systematic Botany Society Newsletter* 44: 12–14.
- PEDLEY, L. & FORSTER, P.I. (1986). Agavaceae. In A.S. George (ed.), *Flora of Australia* 46: 71–88. Australian Government Publishing Service: Canberra.
- PEDLEY, L. (1986). Derivation and dispersal of *Acacia* (Leguminosae), with particular reference to Australia, and the recognition of *Senegalia* and *Racosperma*. *Botanical Journal of the Linnean Society* 92: 219–254.
- PEDLEY, L. (1986). *Acacia maconochieana* (Mimosaceae), a new species from semi-arid Australia. *Austrobaileya* 2: 235–237.
- PEDLEY, L. & FORSTER, P.I. (1986). *Acacia eremophiloides* (Mimosaceae) a new species from south-eastern Queensland. *Austrobaileya* 2: 277–280.

- PEDLEY, L. (1987). Australian Acacias: taxonomy and phytogeography. In J.W. Turnbull (ed.), *Australian acacias in developing countries: proceedings of an International workshop held at the Forestry Training Centre, Gympie, Qld., Australia. Australian Centre for International Agricultural Research, Proceedings* 16: 11–16.
- PEDLEY, L. (1987). In defence of *Racosperma*. *Bulletin of the International Group for the Study of Mimosoideae* 15: 123–129.
- PEDLEY, L. (1987). Generic status of *Acacia sensu lato*. *Australian Systematic Botany Society Newsletter* 53: 87–91.
- PEDLEY, L. (1987). *Racosperma deltoideum* (Cunn. ex G.Don) Pedley (Leguminosae: Mimosoideae) and related species in northern Australia. *Austrobaileya* 2: 314–320.
- PEDLEY, L. (1987). Notes on *Racosperma* Martius (Leguminosae: Mimosoideae), 1. *Austrobaileya* 2: 321–327.
- PEDLEY, L. (1987). *Racosperma* Martius (Leguminosae: Mimosoideae) in Queensland: a checklist. *Austrobaileya* 2: 344–357.
- PEDLEY, L. (1987). *Racosperma* Martius (Leguminosae: Mimosoideae) in New Zealand: a checklist. *Austrobaileya* 2: 358–359.
- PEDLEY, L. (1987). *Paramignya* Wight (Rutaceae: Citreae) in Australia. *Austrobaileya* 2: 416.
- MASLIN, B.R. & PEDLEY, L. (1988). Patterns of distribution of *Acacia* in Australia. *Australian Journal of Botany* 36: 385–393.
- PEDLEY, L. (1988). *Racosperma* Martius (Leguminosae: Mimosoideae) in Queensland and New Zealand: Supplement to the checklists of species. *Austrobaileya* 2: 572–571
- PEDLEY, L. (1989). *Racosperma* again. *Australian Systematic Botany Society Newsletter* 59: 1–2.
- HARDING, W.A.T., PENGELLY, B.C., CAMERON, D.G., PEDLEY, L. & WILLIAMS, R.J. (1989). Classification of a diverse collection of *Rhynchosia* and some allied species. *Genetic Resources Communication* No. 13: 1–30. CSIRO Division of Tropical Crops and Pastures: St Lucia.
- PEDLEY, L. (1989). Pandanaceae. In T.D. Stanley & E.M. Ross (eds.), *Flora of South-eastern Queensland* 3: 274–276. Queensland Herbarium, Queensland Department of Primary Industries: Brisbane.
- PEDLEY, L. (1990). Combretaceae. In A.S. George (ed.), *Flora of Australia* 18: 255–293, 326–327. Australian Government Publishing Service: Canberra.
- PEDLEY, L. (1990). New combinations in *Acacia* Miller (Leguminosae: Mimosoideae). *Austrobaileya* 3: 215–216.
- PEDLEY, L. (1990). Notes on *Leucopogon* R.Br. (Epacridaceae) in Queensland. *Austrobaileya* 3: 265–271.
- PEDLEY, L. (1990). *Acacia acrionastes* (Leguminosae: Mimosoideae), a new species from south-eastern Queensland. *Austrobaileya* 3: 297–300.
- PEDLEY, L. (1991). Camels: their food preferences in central Australia. *Australian Systematic Botany Society Newsletter* 69: 4.
- PEDLEY, L. (1993). *Sigesbeckia fugax* and *Tetramolopium vagans*, new Asteraceae from Queensland. *Austrobaileya* 4: 87–92.
- PEDLEY, L. (1994). Caesalpiniaceae (in part), Mimosaceae, Polygalaceae, Verbenaceae. In R.J.F. Henderson (ed.), *Queensland Vascular Plants: Names and Distribution*. Queensland Herbarium: Indooroopilly.
- PEDLEY, L. (1996). Fabaceae, Tribe Desmodieae [in part]. In M.D. Dassanayake (ed.), *A Revised Handbook to the Flora of Ceylon* 10: 149–194. A.A. Balkema: Rotterdam.
- PEDLEY, L. (1997). Notes on *Caesalpinia* subg. *Mezoneuron* (Leguminosae: Caesalpinioideae) in Australia. *Austrobaileya* 5: 97–102.
- PEDLEY, L. (1997). Caesalpiniaceae, Mimosaceae (with A.E. Holland), Polygalaceae, Verbenaceae. In R.J.F. Henderson (ed.), *Queensland Plants Names and Distribution*. Queensland Herbarium, Department of Environment: Indooroopilly.
- PEDLEY, L. (1999). *Desmodium* Desv. (Fabaceae) and related genera in Australia: a taxonomic revision. *Austrobaileya* 5: 209–261.
- PEDLEY, L. (1999). Notes on *Acacia* (Leguminosae: Mimosoideae) chiefly from northern Australia. *Austrobaileya* 5: 307–321.
- PEDLEY, L. (2001). *Alysicarpus* (Leguminosae: Desmodieae) in Australia: a taxonomic revision. *Austrobaileya* 6: 107–116.
- PEDLEY, L. (2001). [individual species accounts given as LP]. In A.E. Orchard & A.J.G. Wilson (eds.), *Flora of Australia* 11A Mimosaceae *Acacia* part 1. ABR/CSIRO Publishing: Canberra/Melbourne.
- PEDLEY, L. (2001). [individual species accounts given as LP]. In A.E. Orchard & A.J.G. Wilson (eds.), *Flora of Australia* 11B Mimosaceae *Acacia* part 2. ABR/CSIRO Publishing: Canberra/Melbourne.

- PEDLEY, L. (2002). Avicenniaceae, Caesalpiniaceae, Mimosaceae (with A.E. Holland), Polygalaceae, Verbenaceae. In R.J.F. Henderson (ed.), *Names and Distribution of Queensland Plants, Algae and Lichens*. Queensland Herbarium, Environmental Protection Agency: Brisbane.
- PEDLEY, L. (2002). A conspectus of *Acacia* subg. *Acacia* in Australia. *Austrobaileya* 6: 177–186.
- PEDLEY, L. (2003). A synopsis of *Racosperma* C.Mart. (Leguminosae: Mimosoideae). *Austrobaileya* 6: 445–496.
- PEDLEY, L. (2004). Another view of *Racosperma*. *Acacia Study Group Newsletter* No. 90: 3–5.
- PEDLEY, L. (2004). Reduction of *Acacia perangusta* to the synonymy of *A. fimbriata*. *Austrobaileya* 6: 983.
- PEDLEY, L. (2004). Supplement to a synopsis of *Racosperma* C.Mart. (Leguminosae: Mimosoideae). *Austrobaileya* 6: 985–986.
- PEDLEY, L. (2006). Notes on *Acacia* Mill. (Leguminosae: Mimosoideae), chiefly from Queensland, 5. *Austrobaileya* 7: 347–356.
- PEDLEY, L. (2006). Nomenclatural notes on *Acacia* Mill. (Leguminosae–Mimosaceae), consequential to the conservation of its name. *Austrobaileya* 7: 381–382.
- PEDLEY, L. (2007). Avicenniaceae, Caesalpiniaceae, Fabaceae (with A.E. Holland), Mimosaceae, Nyctaginaceae (with A. Pollock), Polygalaceae, Verbenaceae. In P.D. Bostock & A.E. Holland (eds.), *Census of the Queensland Flora 2007*. Queensland Herbarium, Environmental Protection Agency: Brisbane.
- PEDLEY, L. (2010). Avicenniaceae, Caesalpiniaceae, Fabaceae (with A.E. Holland), Mimosaceae (with G. Turpin), Nyctaginaceae (with A. Pollock), Polygalaceae, Verbenaceae. In P.D. Bostock, & A.E. Holland (eds.), *Census of the Queensland Flora 2010*. Queensland Herbarium, Department of Environment & Resource Management: Brisbane.
- WEI, Z., CHEN, D., ZHANG, D. & PEDLEY, L. (2010). Fabaceae tribe Millettieae. In Z. Wu *et al.* (eds.), *Flora of China* 10: 165–166. Science Press/Missouri Botanical Garden Press: Beijing/St. Louis.
- CHEN, D. & PEDLEY, L. (2010). *Aganope*. In Z. Wu *et al.* (eds.), *Flora of China* 10: 172–173. Science Press/Missouri Botanical Garden Press: Beijing/St. Louis.
- CHEN, D. & PEDLEY, L. (2010). *Derris*. In Z. Wu *et al.* (eds.), *Flora of China* 10: 166–170. Science Press/Missouri Botanical Garden Press: Beijing/St. Louis.
- CHEN, D. & PEDLEY, L. (2010). *Paraderris*. In Z. Wu *et al.* (eds.), *Flora of China* 10: 170–172. Science Press/Missouri Botanical Garden Press: Beijing/St. Louis.
- WEI, Z. & PEDLEY, L. (2010). *Afgekia*. In Z. Wu *et al.* (eds.), *Flora of China* 10: 174–175. Science Press/Missouri Botanical Garden Press: Beijing/St. Louis.
- WEI, Z. & PEDLEY, L. (2010). *Antheroporum*. In Z. Wu *et al.* (eds.), *Flora of China* 10: 173–174. Science Press/Missouri Botanical Garden Press: Beijing/St. Louis.
- WEI, Z. & PEDLEY, L. (2010). *Callerya*. In Z. Wu *et al.* (eds.), *Flora of China* 10: 181–187. Science Press/Missouri Botanical Garden Press: Beijing/St. Louis.
- WEI, Z. & PEDLEY, L. (2010). *Craspedolobium*. In Z. Wu *et al.* (eds.), *Flora of China* 10: 189–190. Science Press/Missouri Botanical Garden Press: Beijing/St. Louis.
- WEI, Z. & PEDLEY, L. (2010). *Fordia*. In Z. Wu *et al.* (eds.), *Flora of China* 10: 175–176. Science Press/Missouri Botanical Garden Press: Beijing/St. Louis.
- WEI, Z. & PEDLEY, L. (2010). *Millettia*. In Z. Wu *et al.* (eds.), *Flora of China* 10: 176–181. Science Press/Missouri Botanical Garden Press: Beijing/St. Louis.
- WEI, Z. & PEDLEY, L. (2010). *Tephrosia*. In Z. Wu *et al.* (eds.), *Flora of China* 10: 190–193. Science Press/Missouri Botanical Garden Press: Beijing/St. Louis.
- WEI, Z. & PEDLEY, L. (2010). *Wisteria*. In Z. Wu *et al.* (eds.), *Flora of China* 10: 188–189. Science Press/Missouri Botanical Garden Press: Beijing/St. Louis.
- ZHANG, D. & PEDLEY, L. (2010). *Pongamia*. In Z. Wu *et al.* (eds.), *Flora of China* 10: 187–188. Science Press/Missouri Botanical Garden Press: Beijing/St. Louis.
- PEDLEY, L. (2014). Systematics of *Tephrosia* Pers. (Fabaceae: Millettieae) in Queensland: 1. A summary of the classification of the genus, with the recognition of two new species allied to *T. varians* (F.M.Bailey) C.T.White. *Austrobaileya* 9: 229–243.

- PEDLEY, L. (2014). New combinations for *Senegalia* Raf. and *Vachellia* Wight & Arn. species (Mimosaceae) that occur in Australia. *Austrobaileya* 9: 314–315.
- PEDLEY, L. (2017). Caesalpiniaceae, Mimosaceae, Verbenaceae. In P.D. Bostock & A.E. Holland (eds.), *Census of the Queensland Flora 2017*. Queensland Department of Science, Information Technology and Innovation: Brisbane. <https://data.qld.gov.au/dataset/census-of-the-queensland-flora-2017>, accessed 1 September 2018.
- PEDLEY, L. (2018). Leguminosae (Caesalpiniaceae, Mimosaceae (with G. Brown), Verbenaceae (with J. Wolff). In P.D. Bostock & A.E. Holland (eds.), *Census of the Queensland Flora 2018*. Queensland Department of Environment and Science: Brisbane, accessed 1 September 2018.
- PEDLEY, L. (2019). Notes on *Acacia* Mill. (Leguminosae: *Mimosoideae*), chiefly from Queensland, 6. *Austrobaileya* 10(3): 297–320.