

# Categories of protected animals

## Nature Conservation (Animals) Regulation 2020

The below lists provide details on native animals that are class 1, class 2, exempt animals or farm animals for the purposes of keeping under the Nature Conservation (Animals) Regulation 2020.

### Exempt birds

Common name	Scientific name
Adelaide rosella	<i>Platycercus elegans adalaidae</i>
Australian ringneck	<i>Barnardius zonarius</i>
bar-shouldered dove	<i>Geopelia humeralis</i>
black-breasted button-quail	<i>Turnix melanogaster</i>
black-throated finch	<i>Poephila cincta</i>
blue bonnet	<i>Northiella haematogaster</i>
blue-faced parrot finch	<i>Erythrura trichroa</i>
blue-winged parrot	<i>Neophema chrysostoma</i>
Bourke's parrot	<i>Neopsephotus bourkii</i>
brown quail	<i>Coturnix ypsilophora</i>
budgerigar	<i>Melopsittacus undulatus</i>
chestnut-breasted manikin	<i>Lonchura castaneothorax</i>
cockatiel	<i>Nymphicus hollandicus</i>
common bronzewing	<i>Phaps chalcoptera</i>
crested pigeon	<i>Ocyphaps lophotes</i>
crimson finch	<i>Neochmia phaeton</i>
crimson rosella	<i>Platycercus elegans elegans</i>
diamond dove	<i>Geopelia cuneata</i>
diamond firetail	<i>Stagonopleura guttata</i>
double-barred finch	<i>Taeniopygia bichenovii</i>

<b>eastern rosella</b>	<i>Platycercus eximius</i>
<b>elegant parrot</b>	<i>Neophema elegans</i>
<b>emerald dove</b>	<i>Chalcophaps indica</i>
<b>galah</b>	<i>Eolophus roseicapilla</i>
<b>Gouldian finch</b>	<i>Erythrura gouldiae</i>
<b>hooded parrot</b>	<i>Psephotus dissimilis</i>
<b>king quail</b>	<i>Excalfactoria chinensis</i>
<b>little button-quail</b>	<i>Turnix velox</i>
<b>little corella</b>	<i>Cacatua sanguinea</i>
<b>little lorikeet</b>	<i>Parvipsitta pusilla</i>
<b>long-billed corella</b>	<i>Cacatua tenuirostris</i>
<b>long-tailed finch</b>	<i>Poephila acuticauda</i>
<b>masked finch</b>	<i>Poephila personata</i>
<b>mulga parrot</b>	<i>Psephotus varius</i>
<b>musk lorikeet</b>	<i>Glossopsitta concinna</i>
<b>northern rosella</b>	<i>Platycercus venustus</i>
<b>painted button-quail</b>	<i>Turnix varius</i>
<b>painted finch</b>	<i>Emblema pictum</i>
<b>pale-headed rosella</b>	<i>Platycercus adscitus</i>
<b>peaceful dove</b>	<i>Geopelia striata</i>
<b>pictorella mannikin</b>	<i>Heteromunia pectoralis</i>
<b>plum-headed finch</b>	<i>Neochmia modesta</i>
<b>princess parrot</b>	<i>Polytelis alexandrae</i>
<b>purple-crowned lorikeet</b>	<i>Glossopsitta porphyrocephala</i>
<b>rainbow (red-collared) lorikeet</b>	<i>Trichoglossus haematodus rubritorquatus</i>
<b>rainbow lorikeet</b>	<i>Trichoglossus haematodus moluccanus</i>
<b>red-browed finch</b>	<i>Neochmia temporalis</i>
<b>red-capped parrot</b>	<i>Purpureicephalus spurius</i>
<b>red-rumped parrot</b>	<i>Psephotus haematonotus</i>

<b>regent parrot</b>	<i>Polytelis anthopeplus</i>
<b>rock parrot</b>	<i>Neophema petrophila</i>
<b>scaly-breasted lorikeet</b>	<i>Trichoglossus chlorolepidotus</i>
<b>scarlet-chested parrot</b>	<i>Neophema splendida</i>
<b>spinifex pigeon</b>	<i>Geophaps plumifera</i>
<b>star finch</b>	<i>Neochmia ruficauda</i>
<b>stubble quail</b>	<i>Coturnix pectoralis</i>
<b>sulphur-crested cockatoo</b>	<i>Cacatua galerita</i>
<b>superb parrot</b>	<i>Polytelis swainsonii</i>
<b>turquoise parrot</b>	<i>Neophema pulchella</i>
<b>varied lorikeet</b>	<i>Psitteuteles versicolor</i>
<b>western corella</b>	<i>Cacatua pastinator</i>
<b>western rosella</b>	<i>Platycercus icterotis</i>
<b>yellow rosella</b>	<i>Platycercus elegans flaveolus</i>
<b>yellow-rumped mannikin</b>	<i>Lonchura flaviprymna</i>
<b>zebra finch</b>	<i>Taeniopygia guttata</i>

## Class 1 Amphibians

<b>Common name</b>	<b>Scientific name</b>
<b>barking frog</b>	<i>Limnodynastes fletcheri</i>
<b>beeping froglet</b>	<i>Crinia parinsignifera</i>
<b>big shouldered gungan</b>	<i>Uperoleia capitulata</i>
<b>bleating treefrog</b>	<i>Litoria dentata</i>
<b>Blue Mountains treefrog</b>	<i>Litoria citropa</i>
<b>broad palmed rocketfrog</b>	<i>Litoria latopalmata</i>
<b>Centralian treefrog</b>	<i>Litoria gilleni</i>
<b>chubby gungan</b>	<i>Uperoleia rugosa</i>
<b>clicking froglet</b>	<i>Crinia signifera</i>
<b>common green treefrog</b>	<i>Litoria caerulea</i>
<b>desert treefrog</b>	<i>Litoria rubella</i>
<b>dusky toadlet</b>	<i>Uperoleia fusca</i>
<b>eastern gungan</b>	<i>Uperoleia laevigata</i>
<b>eastern sedgefrog</b>	<i>Litoria fallax</i>
<b>eastern snapping frog</b>	<i>Cyclorana novaehollandiae</i>
<b>eastern stony creek frog</b>	<i>Litoria wilcoxii</i>
<b>emerald spotted treefrog</b>	<i>Litoria peronii</i>
<b>giant bullfrog</b>	<i>Limnodynastes interioris</i>
<b>graceful treefrog</b>	<i>Litoria gracilentia</i>
<b>green stream frog</b>	<i>Litoria phyllochroa</i>
<b>greenstripe frog</b>	<i>Cyclorana alboguttata</i>
<b>grey bellied pobblebonk</b>	<i>Limnodynastes dumerillii</i>
<b>Jervis Bay treefrog</b>	<i>Litoria jervisiensis</i>
<b>leaf green treefrog</b>	<i>Litoria nudidigita</i>
<b>magnificent treefrog</b>	<i>Litoria splendida</i>
<b>meeowing frog</b>	<i>Neobatrachus sudellae</i>
<b>Moore's frog</b>	<i>Litoria moorei</i>
<b>northern laughing treefrog</b>	<i>Litoria rothii</i>
<b>northern sedgefrog</b>	<i>Litoria bicolor</i>
<b>northern snapping frog</b>	<i>Cyclorana australis</i>
<b>northern stony creek frog</b>	<i>Litoria jungguy</i>
<b>orange eyed treefrog</b>	<i>Litoria chloris</i>
<b>ornate burrowing frog</b>	<i>Platyplectrum ornatum</i>

<b>salmon striped frog</b>	<i>Limnodynastes salmini</i>
<b>scarlet sided pobblebonk</b>	<i>Limnodynastes terraereginae</i>
<b>Sloane's froglet</b>	<i>Crinia sloanei</i>
<b>southern brown tree frog</b>	<i>Litoria ewingii</i>
<b>southern laughing treefrog</b>	<i>Litoria tyleri</i>
<b>spotted grassfrog</b>	<i>Limnodynastes tasmaniensis</i>
<b>stony creek frog</b>	<i>Litoria lesueuri</i>
<b>striped marshfrog</b>	<i>Limnodynastes peronii</i>
<b>striped rocketfrog</b>	<i>Litoria nasuta</i>
<b>superb collared frog</b>	<i>Cyclorana brevipes</i>
<b>trilling frog</b>	<i>Neobatrachus centralis</i>
<b>Tyler's toadlet</b>	<i>Uperoleia tyleri</i>
<b>wallum rocketfrog</b>	<i>Litoria freycineti</i>
<b>water holding frog</b>	<i>Cyclorana platycephala</i>
<b>whistling treefrog</b>	<i>Litoria verreauxii</i>
<b>white lipped treefrog</b>	<i>Litoria infrafrenata</i>

## Class 1 Birds

<b>Common name</b>	<b>Scientific name</b>
<b>Australian shelduck</b>	<i>Tadorna tadornoides</i>
<b>beautiful firetail</b>	<i>Stagonopleura bella</i>
<b>black duck</b>	<i>Anas superciliosa</i>
<b>blue-billed duck</b>	<i>Oxyura australis</i>
<b>brown cuckoo-dove</b>	<i>Macropygia amboinensis</i>
<b>brush bronzewing</b>	<i>Phaps elegans</i>
<b>buff-breasted button-quail</b>	<i>Turnix olivii</i>
<b>Cape Barren goose</b>	<i>Cereopsis novaehollandiae</i>
<b>chestnut quilled rock-pigeon</b>	<i>Petrophassa rufipennis</i>
<b>chestnut teal</b>	<i>Anas castanea</i>
<b>crimson chat</b>	<i>Epthianura tricolor</i>
<b>eclectus parrot</b>	<i>Eclectus roratus</i> , other than <i>Eclectus roratus macgillivrayi</i>
<b>figbird</b>	<i>Sphecotheres vieilloti</i>

<b>flock bronzewing</b>	<i>Phaps histrionica</i>
<b>gang gang cockatoo</b>	<i>Callocephalon fimbriatum</i>
<b>golden-shouldered parrot</b>	<i>Psephotus chrysopterygius</i>
<b>green rosella</b>	<i>Platycercus caledonicus</i>
<b>grey teal</b>	<i>Anas gracilis</i>
<b>hardhead</b>	<i>Aythya australis</i>
<b>king parrot</b>	<i>Alisterus scapularis</i>
<b>Macleay's fig parrot</b>	<i>Cyclopsitta diophthalma macleayana</i>
<b>Major Mitchell's cockatoo (pink cockatoo)</b>	<i>Lophochroa leadbeateri</i>
<b>maned duck or wood duck</b>	<i>Chenonetta jubata</i>
<b>naretha blue bonnet</b>	<i>Northiella narethae</i>
<b>partridge pigeon</b>	<i>Geophaps smithii</i>
<b>pied imperial-pigeon</b>	<i>Ducula bicolor</i>
<b>pink-eared duck</b>	<i>Malacorhynchus membranaceus</i>
<b>plumed whistling-duck</b>	<i>Dendrocygna eytoni</i>
<b>radjah shelduck</b>	<i>Tadorna radjah</i>
<b>red-backed button-quail</b>	<i>Turnix maculosus</i>
<b>red-chested button-quail</b>	<i>Turnix pyrrhothorax</i>
<b>red-eared firetail</b>	<i>Stagonopleura oculata</i>
<b>red-tailed black-cockatoo</b>	<i>Calyptorhynchus banksii</i>
<b>red-winged parrot</b>	<i>Aprosmictus erythropterus</i>
<b>rose-crowned fruit-dove</b>	<i>Ptilinopus regina</i>
<b>silvereeye</b>	<i>Zosterops lateralis</i>
<b>splendid fairy-wren</b>	<i>Malurus splendens</i>
<b>squatter pigeon</b>	<i>Geophaps scripta</i>
<b>superb fairy-wren</b>	<i>Malurus cyaneus</i>
<b>superb fruit-dove</b>	<i>Ptilinopus superbus</i>
<b>swift parrot</b>	<i>Lathamus discolor</i>
<b>wandering whistling-duck</b>	<i>Dendrocygna arcuata</i>
<b>white-headed pigeon</b>	<i>Columba leucomela</i>

white-quilled rock-pigeon	<i>Petrophassa albipennis</i>
wonga pigeon	<i>Leucosarcia melanoleuca</i>
yellow-tailed black-cockatoo	<i>Calyptorhynchus funereus</i>

## Class 1 Invertebrates:

The following invertebrates are class 1 animals—

- (a) all protected spiders;
- (b) all protected scorpions

## Class 1 Reptiles

Common name	Scientific name
amethystine python	<i>Simalia amethystina</i>
banded knob-tail gecko	<i>Nephrurus wheeleri</i>
bar-sided skink	<i>Concinnia tenuis</i>
beaded gecko	<i>Lucasium damaeum</i>
bearded dragon	<i>Pogona barbata</i>
black crevice-skink	<i>Egernia saxatilis</i>
black-headed python	<i>Aspidites melanocephalus</i>
black-headed worm-lizard	<i>Aprasia picturata</i>
black-tailed monitor	<i>Varanus tristis</i>
blotched blue-tongued lizard	<i>Tiliqua nigrolutea</i>
broad-banded sand swimmer	<i>Eremiascincus richardsonii</i>
broad-shelled river turtle	<i>Chelodina expansa</i>
broad-tailed gecko	<i>Phyllurus platurus</i>
brown tree snake	<i>Boiga irregularis</i>
Burns's dragon	<i>Amphibolurus burnsi</i>
Burton's legless lizard	<i>Lialis burtonis</i>
Bynoe's gecko	<i>Heteronotia binoei</i>
Cann's longneck turtle	<i>Chelodina canni</i>
carpet python	<i>Morelia spilota</i>
cave prickly gecko	<i>Heteronotia spelea</i>

<b>central bearded dragon</b>	<i>Pogona vitticeps</i>
<b>central netted dragon</b>	<i>Ctenophorus nuchalis</i>
<b>centralian blue-tongued lizard</b>	<i>Tiliqua multifasciata</i>
<b>centralian carpet python</b>	<i>Morelia bredli</i>
<b>centralian knob-tailed gecko</b>	<i>Nephrurus amya</i>
<b>centralian lashtail dragon</b>	<i>Amphibolurus centralis</i>
<b>Children's python</b>	<i>Antaresia childreni</i>
<b>common dwarf skink</b>	<i>Menetia greyii</i>
<b>common scaly-foot</b>	<i>Pygopus lepidopodus</i>
<b>copper-tailed skink</b>	<i>Ctenotus taeniolatus</i>
<b>Cunningham's skink</b>	<i>Egernia cunninghami</i>
<b>dark-flecked garden sunskink</b>	<i>Lampropholis delicata</i>
<b>desert skink</b>	<i>Egernia inornata</i>
<b>downs bearded dragon</b>	<i>Pogona henrylawsoni</i>
<b>dubious dtella</b>	<i>Gehyra dubia</i>
<b>Dwyer's snake</b>	<i>Parasuta dwyeri</i>
<b>eastern blue-tongued lizard</b>	<i>Tiliqua scincoides</i>
<b>eastern hooded scaly-foot</b>	<i>Pygopus schraderi</i>
<b>eastern ranges rock-skink</b>	<i>Liopholis modesta</i>
<b>eastern snake-necked turtle</b>	<i>Chelodina longicollis</i>
<b>eastern water dragon</b>	<i>Intellagama lesueurii</i>
<b>eastern water skink</b>	<i>Eulamprus quoyii</i>
<b>excitable delma</b>	<i>Delma tinctoria</i>
<b>fringe-toed velvet gecko</b>	<i>Oedura filicipoda</i>
<b>ghost skink</b>	<i>Eremiascincus phantasmus</i>
<b>gidgee skink</b>	<i>Egernia stokesii</i>
<b>Gilbert's dragon</b>	<i>Amphibolurus gilberti</i>
<b>golden-tailed gecko</b>	<i>Strophurus taenicauda</i>
<b>green python</b>	<i>Morelia viridis</i>
<b>green tree snake</b>	<i>Dendrelaphis punctulatus</i>

<b>Gulf delma</b>	<i>Delma malleri</i>
<b>Gulf marbled velvet gecko</b>	<i>Oedura bella</i>
<b>hooded scaly-foot</b>	<i>Pygopus nigriceps</i>
<b>Hosmer's skink</b>	<i>Egernia hosmeri</i>
<b>inland marbled velvet gecko</b>	<i>Oedura cincta</i>
<b>jacky lizard</b>	<i>Amphibolurus muricatus</i>
<b>keelback snake</b>	<i>Tropidonophis mairii</i>
<b>Kimberley Plateau dtella</b>	<i>Gehyra occidentalis</i>
<b>Kimberley rough knob-tail gecko</b>	<i>Nephrurus sheai</i>
<b>King's skink</b>	<i>Egernia kingii</i>
<b>Kristin's spiny-tailed gecko</b>	<i>Strophurus krisalys</i>
<b>land mullet</b>	<i>Bellatorias major</i>
<b>Lesueur's velvet gecko</b>	<i>Amalosia lesueurii</i>
<b>long-nosed dragon</b>	<i>Amphibolurus longirostris</i>
<b>mainland she-oak skink</b>	<i>Cyclodomorphus michaeli</i>
<b>major skink</b>	<i>Bellatorias frerei</i>
<b>marbled southern gecko</b>	<i>Christinus marmoratus</i>
<b>marbled velvet gecko</b>	<i>Oedura marmorata</i>
<b>Mary River turtle</b>	<i>Elusor macrurus</i>
<b>Mertens' water monitor</b>	<i>Varanus mertensi</i>
<b>Moritz's leaf-tailed gecko</b>	<i>Saltuarius moritzi</i>
<b>mountain heath dragon</b>	<i>Rankinia diemensis</i>
<b>Murray's skink</b>	<i>Karma murrayi</i>
<b>narrow-banded sand swimmer</b>	<i>Eremiascincus fasciolatus</i>
<b>nobbi</b>	<i>Diporiphora nobbi</i>
<b>northern dtella</b>	<i>Gehyra australis</i>
<b>northern leaf-tailed gecko</b>	<i>Saltuarius cornutus</i>
<b>northern snake-necked turtle</b>	<i>Chelodina rugosa</i>
<b>northern snapping turtle</b>	<i>Elseya dentata</i>
<b>northern spotted velvet gecko</b>	<i>Oedura coggeri</i>

<b>northern velvet gecko</b>	<i>Oedura castelnaui</i>
<b>north-west bearded dragon</b>	<i>Pogona mitchelli</i>
<b>ocellated velvet gecko</b>	<i>Oedura monilis</i>
<b>olive python</b>	<i>Liasis olivaceus</i>
<b>painted dragon</b>	<i>Ctenophorus pictus</i>
<b>pale-flecked garden sunskink</b>	<i>Lampropholis guichenoti</i>
<b>pale-rumped ctenotus</b>	<i>Ctenotus regius</i>
<b>pink-tongued lizard</b>	<i>Cyclodomorphus gerrardii</i>
<b>pygmy bearded dragon</b>	<i>Pogona minor</i>
<b>pygmy mulga monitor</b>	<i>Varanus gilleni</i>
<b>pygmy python</b>	<i>Antaresia perthensis</i>
<b>red-throated cool-skink</b>	<i>Acritoscincus platynotum</i>
<b>ridge-tailed monitor</b>	<i>Varanus acanthurus</i>
<b>river turtle</b>	<i>Emydura macquarii</i>
<b>robust ctenotus</b>	<i>Ctenotus robustus</i>
<b>robust velvet gecko</b>	<i>Nebulifera robusta</i>
<b>rough knob-tailed gecko</b>	<i>Nephurus asper</i>
<b>rough-scaled python</b>	<i>Morelia carinata</i>
<b>rough-throated leaf-tailed gecko</b>	<i>Saltuarius salebrosus</i>
<b>sand monitor</b>	<i>Varanus gouldii</i>
<b>saw-shelled turtle</b>	<i>Wollumbinia latisternum</i>
<b>Schomburgk's ctenotus</b>	<i>Ctenotus schomburgkii</i>
<b>she-oak slender blue-tongue lizard</b>	<i>Cyclodomorphus casuarinae</i>
<b>shingle-back</b>	<i>Tiliqua rugosa</i>
<b>slaty-grey snake</b>	<i>Stegonotus cucullatus</i>
<b>smooth knob-tail gecko</b>	<i>Nephurus laevisissimus</i>
<b>soft-spined gecko</b>	<i>Strophurus williamsi</i>
<b>south-eastern morethia skink</b>	<i>Morethia boulengeri</i>
<b>southern angle-headed dragon</b>	<i>Lophosaurus spinipes</i>
<b>southern leaf-tailed gecko</b>	<i>Saltuarius swaini</i>

<b>southern phasmid gecko</b>	<i>Strophurus jeanae</i>
<b>southern spiny-tailed gecko</b>	<i>Strophurus intermedius</i>
<b>southern spotted velvet gecko</b>	<i>Oedura tryoni</i>
<b>spiny-tailed gecko</b>	<i>Strophurus ciliaris</i>
<b>spotted python</b>	<i>Antaresia maculosa</i>
<b>spotted tree monitor</b>	<i>Varanus scalaris</i>
<b>Steindachner's gecko</b>	<i>Lucasium steindachneri</i>
<b>stellate knob-tail gecko</b>	<i>Nephrurus stellatus</i>
<b>Stimson's python</b>	<i>Antaresia stimsoni</i>
<b>Storr's monitor</b>	<i>Varanus storri</i>
<b>straight-browed ctenotus</b>	<i>Ctenotus spaldingi</i>
<b>striped snake-eyed skink</b>	<i>Cryptoblepharus virgatus</i>
<b>swamplands lashtail</b>	<i>Amphibolurus temporalis</i>
<b>tessellated gecko</b>	<i>Diplodactylus tessellatus</i>
<b>thick-tailed gecko</b>	<i>Underwoodisaurus milii</i>
<b>three-lined knob-tail gecko</b>	<i>Nephrurus levis</i>
<b>tommy roundhead</b>	<i>Diporiphora australis</i>
<b>tree skink</b>	<i>Egernia striolata</i>
<b>varied dtella</b>	<i>Gehyra versicolor</i>
<b>water python</b>	<i>Liasis fuscus</i>
<b>west coast morethia skink</b>	<i>Morethia lineocellata</i>
<b>western shield spiny-tailed gecko</b>	<i>Strophurus wellingtonae</i>
<b>White's skink</b>	<i>Liopholis whitii</i>
<b>woma</b>	<i>Aspidites ramsayi</i>
<b>wood gecko</b>	<i>Diplodactylus vittatus</i>

## Class 2 Amphibians

Common name	Scientific name
<b>Bibron's toadlet</b>	<i>Pseudophryne bibronii</i>
<b>Booroolong frog</b>	<i>Litoria booroolongensis</i>
<b>cascade treefrog</b>	<i>Litoria pearsoniana</i>
<b>chirping froglet</b>	<i>Crinia deserticola</i>
<b>desert shovelfoot</b>	<i>Notaden nichollsi</i>
<b>giant barred frog</b>	<i>Mixophyes iteratus</i>
<b>giant burrowing frog</b>	<i>Heleioporus australiacus</i>
<b>grassland collared frog</b>	<i>Cyclorana cultripes</i>
<b>great barred frog</b>	<i>Mixophyes fasciolatus</i>
<b>great brown broodfrog</b>	<i>Pseudophryne major</i>
<b>green and golden bell frog</b>	<i>Litoria aurea</i>
<b>green thighed frog</b>	<i>Litoria brevipalmata</i>
<b>growling green eyed frog</b>	<i>Litoria eucnemis</i>
<b>Haswell's froglet</b>	<i>Paracrinia haswelli</i>
<b>holy cross frog</b>	<i>Notaden bennettii</i>
<b>Littlejohn's treefrog</b>	<i>Litoria littlejohni</i>
<b>masked mountainfrog</b>	<i>Philoria loveridgei</i>
<b>northern waterfrog</b>	<i>Litoria dahlia</i>
<b>orange thighed treefrog</b>	<i>Litoria xanthomera</i>
<b>orange-bellied Frog</b>	<i>Geocrinia vitellina</i>

<b>pouched frog</b>	<i>Assa darlingtoni</i>
<b>red backed broodfrog</b>	<i>Pseudophryne coriacea</i>
<b>red crowned toadlet</b>	<i>Pseudophryne australis</i>
<b>red-and-yellow mountainfrog</b>	<i>Philoria kundagungan</i>
<b>rough collared frog</b>	<i>Cyclorana verrucosa</i>
<b>southern bell frog</b>	<i>Litoria raniformis</i>
<b>southern toadlet</b>	<i>Pseudophryne dendyi</i>
<b>southern toadlet</b>	<i>Pseudophryne semimarmorata</i>
<b>sphagnum frog</b>	<i>Philoria sphagnicolus</i>
<b>stuttering frog</b>	<i>Mixophyes balbus</i>
<b>Tasmanian smooth froglet</b>	<i>Geocrinia laevis</i>
<b>Tasmanian treefrog</b>	<i>Litoria burrowsae</i>
<b>tusked frog</b>	<i>Adelotus brevis</i>
<b>Victorian smooth froglet</b>	<i>Geocrinia victoriana</i>
<b>wallum froglet</b>	<i>Crinia tinnula</i>
<b>whirring treefrog</b>	<i>Litoria revelata</i>

## Class 2 Birds

<b>Common name</b>	<b>Scientific name</b>
<b>apostlebird</b>	<i>Struthidea cinerea</i>
<b>Australasian shoveler</b>	<i>Anas rhynchos</i>
<b>Australian brush turkey</b>	<i>Alectura lathami</i>
<b>Australian magpie</b>	<i>Cracticus tibicen</i>

<b>Australian white ibis</b>	<i>Threskiornis molucca</i>
<b>banded lapwing</b>	<i>Vanellus tricolor</i>
<b>banded stilt</b>	<i>Cladorhynchus leucocephalus</i>
<b>Baudin's black-cockatoo</b>	<i>Calyptorhynchus baudinii</i>
<b>black swan</b>	<i>Cygnus atratus</i>
<b>black-faced woodswallow</b>	<i>Artamus cinereus</i>
<b>black-tailed native-hen</b>	<i>Gallinula ventralis</i>
<b>black-winged stilt</b>	<i>Himantopus himantopus</i>
<b>blue-breasted fairy-wren</b>	<i>Malurus pulcherrimus</i>
<b>blue-faced honeyeater</b>	<i>Entomyzon cyanotis</i>
<b>blue-winged kookaburra</b>	<i>Dacelo leachii</i>
<b>buff-banded rail</b>	<i>Gallirallus philippensis</i>
<b>bush-stone curlew</b>	<i>Burhinus grallarius</i>
<b>Carnaby's black-cockatoo</b>	<i>Calyptorhynchus latirostris</i>
<b>cattle egret</b>	<i>Bubulcus ibis</i>
<b>chestnut rail</b>	<i>Eulabeornis castaneoventris</i>
<b>chestnut-backed button-quail</b>	<i>Turnix castanotus</i>
<b>cotton pygmy-goose</b>	<i>Nettapus coromandelianus</i>
<b>crescent honeyeater</b>	<i>Phylidonyris pyrrhopterus</i>
<b>dollarbird</b>	<i>Eurystomus orientalis</i>
<b>dusky moorhen</b>	<i>Gallinula tenebrosus</i>
<b>dusky woodswallow</b>	<i>Artamus cyanopterus</i>
<b>eastern spinebill</b>	<i>Acanthorhynchus tenuirostris</i>
<b>eastern whipbird</b>	<i>Psophodes olivaceus</i>
<b>eastern yellow robin</b>	<i>Eopsaltria australis</i>
<b>eclectus parrot (Australian subspecies)</b>	<i>Eclectus roratus macgillivrayi</i>
<b>eurasian coot</b>	<i>Fulica atra</i>
<b>flame robin</b>	<i>Petroica phoenicea</i>
<b>forest kingfisher</b>	<i>Todiramphus macleayii</i>
<b>freckled duck</b>	<i>Stictonetta naevosa</i>

<b>glossy black-cockatoo</b>	<i>Calyptorhynchus lathami</i>
<b>glossy ibis</b>	<i>Plegadis falcinellus</i>
<b>golden whistler</b>	<i>Pachycephala pectoralis</i>
<b>green catbird</b>	<i>Ailuroedus crassirostris</i>
<b>green pygmy-goose</b>	<i>Nettapus pulchellus</i>
<b>hooded robin</b>	<i>Melanodryas cucullata</i>
<b>inland dotterel</b>	<i>Charadrius australis</i>
<b>laughing kookaburra</b>	<i>Dacelo novaeguineae</i>
<b>Lewin's honeyeater</b>	<i>Meliphaga lewinii</i>
<b>little egret</b>	<i>Egretta garzetta</i>
<b>little friarbird</b>	<i>Philemon citreogularis</i>
<b>little pied cormorant</b>	<i>Microcarbo melanoleucos</i>
<b>little wattlebird</b>	<i>Anthochaera chrysoptera</i>
<b>lovely fairy-wren</b>	<i>Malurus amabilis</i>
<b>magpie goose</b>	<i>Anseranas semipalmata</i>
<b>magpie-lark</b>	<i>Grallina cyanoleuca</i>
<b>masked lapwing</b>	<i>Vanellus miles</i>
<b>masked woodswallow</b>	<i>Artamus personatus</i>
<b>metallic starling</b>	<i>Aplonis metallica</i>
<b>mistletoebird</b>	<i>Dicaeum hirundinaceum</i>
<b>musk duck</b>	<i>Biziura lobata</i>
<b>New Holland honeyeater</b>	<i>Phylidonyris novaehollandiae</i>
<b>noisy friarbird</b>	<i>Philemon corniculatus</i>
<b>noisy miner</b>	<i>Manorina melanocephala</i>
<b>noisy pitta</b>	<i>Pitta versicolor</i>
<b>olive-backed oriole</b>	<i>Oriolus sagittatus</i>
<b>olive-backed sunbird</b>	<i>Nectarinia jugularis</i>
<b>orange chat</b>	<i>Epthianura aurifrons</i>
<b>pheasant coucal</b>	<i>Centropus phasianinus</i>
<b>pied heron</b>	<i>Egretta picata</i>

<b>piebald honeyeater</b>	<i>Certhionyx variegatus</i>
<b>purple swamphen</b>	<i>Porphyrio melanotus</i>
<b>purple-backed fairy-wren</b>	<i>Malurus assimilis</i>
<b>purple-crowned fairy-wren</b>	<i>Malurus coronatus</i>
<b>rainbow bee-eater</b>	<i>Merops ornatus</i>
<b>rainbow pitta</b>	<i>Pitta iris</i>
<b>red wattlebird</b>	<i>Anthochaera carunculata</i>
<b>red-backed fairy-wren</b>	<i>Malurus melanocephalus</i>
<b>red-backed kingfisher</b>	<i>Todiramphus pyrrhopygia</i>
<b>red-capped robin</b>	<i>Petroica goodenovii</i>
<b>red-winged fairywren</b>	<i>Malurus elegans</i>
<b>regent bowerbird</b>	<i>Sericulus chrysocephalus</i>
<b>royal spoonbill</b>	<i>Platalea regia</i>
<b>rufous whistler</b>	<i>Pachycephala rufiventris</i>
<b>sacred kingfisher</b>	<i>Todiramphus sanctus</i>
<b>satin bowerbird</b>	<i>Ptilonorhynchus violaceus</i>
<b>scarlet honeyeater</b>	<i>Myzomela sanguinolenta</i>
<b>scarlet robin</b>	<i>Petroica boodang</i>
<b>spiny-cheeked honeyeater</b>	<i>Acanthagenys rufogularis</i>
<b>spotted bowerbird</b>	<i>Chlamydera maculata</i>
<b>spotted pardalote</b>	<i>Pardalotus punctatus</i>
<b>straw-necked ibis</b>	<i>Threskiornis spinicollis</i>
<b>striated grasswren</b>	<i>Amytornis striatus</i>
<b>striated pardalote</b>	<i>Pardalotus striatus</i>
<b>striped honeyeater</b>	<i>Plectorhyncha lanceolata</i>
<b>Tasmanian native hen</b>	<i>Gallinula mortierii</i>
<b>tawny frogmouth</b>	<i>Podargus strigoides</i>
<b>thick-billed grasswren</b>	<i>Amytornis textilis</i>
<b>topnot pigeon</b>	<i>Lopholaimus antarcticus</i>
<b>Torresian crow</b>	<i>Corvus orru</i>

<b>variegated fairy-wren</b>	<i>Malurus lamberti</i>
<b>western spinebill</b>	<i>Acanthorhynchus superciliosus</i>
<b>white-breasted woodswallow</b>	<i>Artamus leucorhynchus</i>
<b>white-browed scrubwren</b>	<i>Sericornis frontalis</i>
<b>white-browed woodswallow</b>	<i>Artamus superciliosus</i>
<b>white-cheeked honeyeater</b>	<i>Phylidonyris niger</i>
<b>white-faced heron</b>	<i>Egretta novaehollandiae</i>
<b>white-fronted chat</b>	<i>Epthianura albifrons</i>
<b>white-naped honeyeater</b>	<i>Melithreptus lunatus</i>
<b>white-plumed honeyeater</b>	<i>Ptilotula penicillata</i>
<b>white-winged chough</b>	<i>Corcorax melanorhamphos</i>
<b>white-winged fairy-wren</b>	<i>Malurus leucopterus</i>
<b>wompoo fruit-dove</b>	<i>Ptilinopus magnificus</i>
<b>yellow-billed spoonbill</b>	<i>Platalea flavipes</i>
<b>yellow-faced honeyeater</b>	<i>Caligavis chrysops</i>
<b>yellow-rumped thornbill</b>	<i>Acanthiza chrysorrhoa</i>
<b>yellow-throated scrubwren</b>	<i>Sericornis citreogularis</i>
<b>yellow-tufted honeyeater</b>	<i>Lichenostomus melanops</i>

## Class 2 Reptiles

<b>Common name</b>	<b>Scientific name</b>
<b>Arafura file snake</b>	<i>Acrochordus arafurae</i>
<b>bandy-bandy</b>	<i>Vermicella annulata</i>
<b>bardick</b>	<i>Echiopsis curta</i>
<b>beaked gecko</b>	<i>Rhynchoedura ornata</i>
<b>Bell's turtle</b>	<i>Wollumbinia belli</i>
<b>black-bellied swamp snake</b>	<i>Hemiaspis signata</i>
<b>black-collared dragon</b>	<i>Ctenophorus clayi</i>
<b>blackish blind snake</b>	<i>Anilius nigrescens</i>
<b>black-spotted ridge-tailed monitor</b>	<i>Varanus baritji</i>

<b>bockadam</b>	<i>Cerberus australis</i>
<b>border thick-tailed gecko</b>	<i>Uvidicolus sphyrurus</i>
<b>Boyd's forest dragon</b>	<i>Lophosaurus boydii</i>
<b>Bush's monitor</b>	<i>Varanus bushi</i>
<b>Byrne's gecko</b>	<i>Lucasium byrnei</i>
<b>canegrass dragon</b>	<i>Diporiphora winneckeii</i>
<b>central Pilbara spiny-tailed skink</b>	<i>Egernia eos</i>
<b>centralian dtella</b>	<i>Gehyra montium</i>
<b>centralian earless dragon</b>	<i>Tympanocryptis centralis</i>
<b>centralian Ranges rock-skink</b>	<i>Liopholis margaretae</i>
<b>chameleon dragon</b>	<i>Chelosania brunnea</i>
<b>chameleon gecko</b>	<i>Carphodactylus laevis</i>
<b>claypan dragon</b>	<i>Ctenophorus salinarum</i>
<b>Coen rainbow-skink</b>	<i>Liburnascincus coensis</i>
<b>coral snake</b>	<i>Brachyurophis australis</i>
<b>crested dragon</b>	<i>Ctenophorus cristatus</i>
<b>crowned gecko</b>	<i>Lucasium stenodactylum</i>
<b>dark bar-sided skink</b>	<i>Concinnia martini</i>
<b>De Vis' banded snake</b>	<i>Denisonia devisi</i>
<b>desert fat-tailed gecko</b>	<i>Diplodactylus laevis</i>
<b>dotted velvet gecko</b>	<i>Oedura gemmata</i>
<b>dwarf crowned snake</b>	<i>Cacophis krefftii</i>
<b>eastern crevice-skink</b>	<i>Egernia mcphreei</i>
<b>eastern deserts fat-tailed gecko</b>	<i>Diplodactylus ameyi</i>
<b>eastern fat-tailed gecko</b>	<i>Diplodactylus platyurus</i>
<b>eastern Pilbara spiny-tailed skink</b>	<i>Egernia epsisolus</i>
<b>emerald monitor</b>	<i>Varanus prasinus</i>
<b>Eyrean earless dragon</b>	<i>Tympanocryptis tetraporophora</i>
<b>Fitzroy River turtle</b>	<i>Rheodytes leukops</i>
<b>flat-shelled snake-necked turtle</b>	<i>Chelodina steindachneri</i>

<b>frilled lizard</b>	<i>Chlamydosaurus kingii</i>
<b>giant cave gecko</b>	<i>Pseudothecadactylus lindneri</i>
<b>gibber earless dragon</b>	<i>Tympanocryptis intima</i>
<b>golden-crowned snake</b>	<i>Cacophis squamulosus</i>
<b>granite leaf-tailed gecko</b>	<i>Saltuarius wyberba</i>
<b>Gulf fat-tailed gecko</b>	<i>Diplodactylus barraganae</i>
<b>Gulf snapping turtle</b>	<i>Elseya lavarackorum</i>
<b>helmeted gecko</b>	<i>Diplodactylus galeatus</i>
<b>Irwin's turtle</b>	<i>Elseya irwini</i>
<b>jewelled gecko</b>	<i>Strophurus elderi</i>
<b>Kimberley bearded dragon</b>	<i>Pogona microlepidota</i>
<b>Kimberley rock monitor</b>	<i>Varanus glauerti</i>
<b>lace monitor</b>	<i>Varanus varius</i>
<b>Leonhardi's ctenotus</b>	<i>Ctenotus leonhardii</i>
<b>leopard ctenotus</b>	<i>Ctenotus pantherinus</i>
<b>lined earless dragon</b>	<i>Tympanocryptis lineata</i>
<b>line-tailed pygmy monitor</b>	<i>Varanus caudolineatus</i>
<b>little file snake</b>	<i>Acrochordus granulatus</i>
<b>little whip snake</b>	<i>Parasuta flagellum</i>
<b>long-tailed rock monitor</b>	<i>Varanus glebopalma</i>
<b>Macleay's water snake</b>	<i>Pseudoferania polylepis</i>
<b>mallee dragon</b>	<i>Ctenophorus fordi</i>
<b>mangrove monitor</b>	<i>Varanus indicus</i>
<b>McDonald's ring-tailed gecko</b>	<i>Cyrtodactylus mcdonaldi</i>
<b>military dragon</b>	<i>Ctenophorus isolepis</i>
<b>Mitchell's water monitor</b>	<i>Varanus mitchelli</i>
<b>mourning gecko</b>	<i>Lepidodactylus lugubris</i>
<b>mustard-bellied snake</b>	<i>Drysdalia rhodogaster</i>
<b>nocturnal desert-skink</b>	<i>Liopholis striata</i>
<b>northern Pilbara rock monitor</b>	<i>Varanus pilbarensis</i>

<b>northern red-faced turtle</b>	<i>Emydura victoriae</i>
<b>northern ridge-tailed monitor</b>	<i>Varanus primordius</i>
<b>northern tree snake</b>	<i>Dendrelaphis calligastra</i>
<b>northern yellow-faced turtle</b>	<i>Emydura tanybaraga</i>
<b>Oenpelli rock python</b>	<i>Morelia oenpelliensis</i>
<b>orange-naped snake</b>	<i>Furina ornata</i>
<b>ornamental snake</b>	<i>Denisonia maculata</i>
<b>ornate dragon</b>	<i>Ctenophorus ornatus</i>
<b>patternless delma</b>	<i>Delma inornata</i>
<b>pebble dragon</b>	<i>Tympanocryptis cephalus</i>
<b>peninsula dragon</b>	<i>Ctenophorus fionni</i>
<b>perentie</b>	<i>Varanus giganteus</i>
<b>pig-nosed turtle</b>	<i>Carettochelys insculpta</i>
<b>prickly forest skink</b>	<i>Gnypetoscincus queenslandiae</i>
<b>pygmy rock monitor</b>	<i>Varanus kingorum</i>
<b>pygmy spiny-tailed skink</b>	<i>Egernia depressa</i>
<b>red-barred dragon</b>	<i>Ctenophorus vadrappa</i>
<b>red-flushed river turtle</b>	<i>Emydura subglobosa</i>
<b>red-naped snake</b>	<i>Furina diadema</i>
<b>red-tailed calyptotis</b>	<i>Calyptotis ruficauda</i>
<b>ring-tailed dragon</b>	<i>Ctenophorus caudicinctus</i>
<b>ring-tailed gecko</b>	<i>Cyrtodactylus tuberculatus</i>
<b>robust dtella</b>	<i>Gehyra robusta</i>
<b>robust two-line dragon</b>	<i>Diporiphora bennettii</i>
<b>Rosenberg's goanna</b>	<i>Varanus rosenbergi</i>
<b>rusty desert monitor</b>	<i>Varanus eremius</i>
<b>rusty monitor</b>	<i>Varanus semiremex</i>
<b>sandstone long-necked turtle</b>	<i>Chelodina burrungandjii</i>
<b>scrub python</b>	<i>Simalia kinghorni</i>
<b>short-tailed pygmy monitor</b>	<i>Varanus brevicauda</i>

<b>Southern Pilbara rock monitor</b>	<i>Varanus hammersleyensis</i>
<b>southern snapping turtle</b>	<i>Elseya albagula</i>
<b>southern water-skink</b>	<i>Eulamprus tympanum</i>
<b>south-western rock-skink</b>	<i>Liopholis pulchra</i>
<b>spectacled hooded snake</b>	<i>Parasuta spectabilis</i>
<b>Spencer's monitor</b>	<i>Varanus spenceri</i>
<b>stony-soil ctenotus</b>	<i>Ctenotus saxatilis</i>
<b>striped legless lizard</b>	<i>Delma impar</i>
<b>tawny dragon</b>	<i>Ctenophorus decresii</i>
<b>three-clawed worm-skink</b>	<i>Anomalopus verreauxii</i>
<b>Tryon's skink</b>	<i>Karma tryoni</i>
<b>two-lined dragon</b>	<i>Diporiphora bilineata</i>
<b>variable fat-tailed gecko</b>	<i>Diplodactylus conspicillatus</i>
<b>western blue-tongued lizard</b>	<i>Tiliqua occipitalis</i>
<b>western giant cave gecko</b>	<i>Pseudothecadactylus cavaticus</i>
<b>western netted dragon</b>	<i>Ctenophorus reticulatus</i>
<b>western Pilbara spiny-tailed skink</b>	<i>Egernia cygnitos</i>
<b>western spiny-tailed gecko</b>	<i>Strophurus spinigerus</i>
<b>wheat-belt stone gecko</b>	<i>Diplodactylus granariensis</i>
<b>white-crowned snake</b>	<i>Cacophis harriettae</i>
<b>white-lipped python</b>	<i>Leiopython hoseae/albertisii</i>
<b>white-lipped snake</b>	<i>Drysdalia coronoides</i>
<b>yakka skink</b>	<i>Egernia rugosa</i>
<b>yellow-faced whip snake</b>	<i>Demansia psammophis</i>
<b>yellow-sided two-lined dragon</b>	<i>Diporiphora magna</i>
<b>yellow-spotted monitor</b>	<i>Varanus panoptes</i>

## Class 2 Reptiles that are listed as Dangerous Animals

<b>Common name</b>	<b>Scientific name</b>
<b>black snakes</b>	<i>Pseudechis</i> spp.

<b>broad-headed snakes</b>	Hoplocephalus spp.
<b>brown snakes</b>	Pseudonaja spp.
<b>copperheads</b>	Austrelaps spp.
<b>death adders</b>	Acanthophis spp.
<b>eastern small-eyed snake</b>	Cryptophis nigrescens
<b>greater black whipsnake</b>	Demansia papuensis
<b>lesser black whipsnake</b>	Demansia vestigiata
<b>myall snake</b>	Suta suta
<b>rough-scaled snake</b>	Tropidechis carinatus
<b>taipans</b>	Oxyuranus spp.
<b>tiger snakes</b>	Notechis spp.

## Farm animals

- (a) a reptile of the family Elapidae (includes sea snakes);
- (b) birdwing butterfly (Ornithoptera sp.);
- (c) Ulysses butterfly (Papilio ulysses);
- (d) emu (Dromaius novaehollandiae);
- (e) estuarine crocodile (Crocodylus porosus);
- (f) freshwater crocodile (Crocodylus johnstoni);